

# WesCom Signal and Rescue Germany GmbH

Chemwatch: 65-6269 Version No: 5.1.1.1

Safety Data Sheet (Conforms to Regulation (EU) No 2015/830)

Issue Date: **20/09/2016** Print Date: **19/10/2017** L.REACH.GBR.EN

# SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

#### 1.1. Product Identifier

Product name	LIGHT-SMOKE SIGNAL
Synonyms	Comet Light and smoke signal: ArtNo. 9181600, Pains Wessex Manoverboard MK9: ArtNo. 9537800
Proper shipping name	SIGNALS, SMOKE
Other means of identification	Not Available
I.2. Relevant identified uses of the substance or mixture and uses advised against	

# Relevant identified uses Use according to manufacturer's directions. Sea distress signal. Compact Lifebuoy Marker is normally mounted on a ships bridge wing attached to a 4 kg lifebuoy. It is automatically or manually deployed to mark the position of a person in the water by day or night. Uses advised against Not Applicable

#### 1.3. Details of the supplier of the safety data sheet

Registered company name	WesCom Signal and Rescue Germany GmbH	
Address	Vieländer Weg 147 Bremerhaven 27574 Germany	
Telephone	+49 471 3930	
Fax	+49 471 3932 10	
Website	www.wescomsignal.com	
Email	info@wescomsignal.com	

#### 1.4. Emergency telephone number

Association / Organisation	Consultant Lutz Harder GmbH	
Emergency telephone numbers	+49 178 433 7434	
Other emergency telephone numbers	Not Available	

#### **SECTION 2 HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

2.1. Classification of the subs		
Classification according to regulation (EC) No 1272/2008 [CLP] <sup>[1]</sup>	H204 - Explosive Division 1.4	
Legend:	1. Classified by Chernwatch; 2. Classification drawn from EC Directive 67/548/EEC - Annex I ; 3. Classification drawn from EC Directive 1272/2008 - Annex VI	
2.2. Label elements		
Hazard pictogram(s)		
SIGNAL WORD	WARNING	
Hazard statement(s)		
H204	Fire or projection hazard.	
Precautionary statement(s) Pr	evention	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P250	Do not subject to grinding/shock/sources of friction.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	

P240 Ground/bond container and receiving equipment.

#### Precautionary statement(s) Response

P370+P380	In case of fire: Evacuate area.	
P372	Explosion risk in case of fire.	
P374	Fight fire with normal precautions from a reasonable distance.	
P373	DO NOT fight fire when fire reaches explosives.	

## Precautionary statement(s) Storage

# Precautionary statement(s) Disposal

P501

Dispose of contents/container in accordance with local regulations.

REACh - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

# SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

#### 3.1.Substances

See 'Composition on ingredients' in Section 3.2

#### 3.2.Mixtures

1.CAS No 2.EC No 3.Index No 4.REACH No	%[weight]	Name	Classification according to regulation (EC) No 1272/2008 [CLP]
		device contains	
		polytechnic materials of;	
1.3811-04-9 2.223-289-7 3.017-004-00-3 4.01-2119494917-18-XXXX		potassium chlorate	Oxidizing Solid Category 1, Acute Toxicity (Inhalation) Category 4, Acute Toxicity (Oral) Category 4, Chronic Aquatic Hazard Category 2; H271, H332, H302, H411 <sup>[3]</sup>
1.7757-79-1 2.231-818-8 3.Not Available 4.01-2119488224-35- XXXX 01-2120104950-66-XXXX		potassium nitrate	Oxidizing Solid Category 3, Acute Toxicity (Oral) Category 4, Eye Irritation Category 2; H272, H302, H319 <sup>[1]</sup>
1.10022-31-8 2.233-020-5 3.056-002-00-7 4.01-2119986880-22-XXXX		barium nitrate	Acute Toxicity (Inhalation) Category 4, Acute Toxicity (Oral) Category 4; H332, H302 <sup>[3]</sup>
		and lithium batteries	
Legend:		by Chemwatch; 2. Class Classification drawn from	ification drawn from EC Directive 67/548/EEC - Annex I ; 3. Classification drawn from EC Directive 1272/2008 - I C&L

# SECTION 4 FIRST AID MEASURES

#### 4.1. Description of first aid measures

Eye Contact	If this product comes in contact with eyes: <ul> <li>Wash out immediately with water.</li> <li>If irritation continues, seek medical attention.</li> <li>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>
Skin Contact	<ul> <li>If skin contact occurs:</li> <li>Immediately remove all contaminated clothing, including footwear.</li> <li>Flush skin and hair with running water (and soap if available).</li> <li>Seek medical attention in event of irritation.</li> </ul>
Inhalation	<ul> <li>If fumes or combustion products are inhaled remove from contaminated area.</li> <li>Lay patient down. Keep warm and rested.</li> <li>Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.</li> <li>Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.</li> <li>Transport to hospital, or doctor, without delay.</li> </ul>
Ingestion	<ul> <li>Not considered a normal route of entry.</li> <li>If swallowed do NOT induce vomiting.</li> <li>If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>Observe the patient carefully.</li> <li>Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.</li> <li>Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.</li> <li>Seek medical advice.</li> </ul>

# 4.2 Most important symptoms and effects, both acute and delayed

See Section 11

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5 FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

DANGER: Deliver media remotely.

For minor fires: Flooding quantities only.
For large fires: Do not attempt to extinguish.

#### Apply by mechanical means only.

#### 5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility	Avoid contact with other chemicals.
5.3. Advice for firefighters	
Fire Fighting	<ul> <li>WARNING: EXPLOSIVE MATERIALS / ARTICLES PRESENT!</li> <li>Evacuate all personnel and move upwind.</li> <li>Prevent re-entry.</li> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>May detonate and burning material may be propelled from fire.</li> <li>Wear full-body protective clothing with breathing apparatus.</li> <li>Prevent, by any means available, spillage and fire effluent from entering drains and water courses.</li> <li>Fight fire from safe distances and from protected locations.</li> <li>Use flooding quantities of water.</li> <li>DO NOT approach containers or packages suspected to be hot.</li> <li>Cool any exposed containers on involved in fire from a protected location.</li> <li>Equipment should be thoroughly decontaminated after use.</li> <li>Slight hazard when exposed to heat, flame and oxidisers.</li> </ul>
Fire/Explosion Hazard	Division 1.4 Substances, mixtures and articles which present no significant hazard: substances, mixtures and articles which present only a small hazard in the event of ignition or initiation. The effects are largely confined to the package and no projection of fragments of appreciable size or range is to be expected. An external fire shall not cause virtually instantaneous explosion of almost the entire contents of the package.

#### SECTION 6 ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

See section 8

#### 6.2. Environmental precautions

See section 12

#### 6.3. Methods and material for containment and cleaning up

Minor Spills	WARNINGI: EXPLOSIVE.         BLAST and/or PROJECTION and/or FIRE HAZARD         • Clean up all spills immediately.         • Avoid inhalation of the material and avoid contact with eyes and skin.         • Wear impervious gloves and safety glasses.         • Remove all ignition sources.         • Use spark-free tools when handling.         • Sweep into non-sparking containers or barrels and moisten with water.         • Place spilled material in clean, sealable, labelled container for disposal.         • Flush area with large amounts of water.
Major Spills	<ul> <li>WARNING! EXPLOSIVE.</li> <li>Clear area of personnel and move upwind.</li> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>May be violently or explosively reactive.</li> <li>Wear full body protective clothing with breathing apparatus.</li> <li>Consider evacuation (or protect in place).</li> <li>In case of transport accident notify Police, Emergency Authority, Competent Explosives Authority or Manufacturer.</li> <li>No smoking, naked lights, heat or ignition sources.</li> <li>Increase ventilation.</li> <li>Use extreme caution to prevent physical shock.</li> <li>Use only spark-free shovels and explosion-proof equipment.</li> <li>Collect recoverable material and segregate from spilled material.</li> <li>Wash spill area with large quantities of water.</li> </ul>

#### 6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

#### SECTION 7 HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Safe handling	<ul> <li>Handle gently. Use good occupational work practice.</li> <li>Observe manufacturer's storage and handling recommendations contained within this SDS.</li> </ul>
---------------	---

	<ul> <li>Avoid all personal contact, including inhalation.</li> <li>Avoid smoking, naked lights, heat or ignition sources.</li> <li>Explosives must not be struck with metal implements.</li> <li>Avoid mechanical and thermal shock and friction.</li> <li>Use in a well ventilated area.</li> <li>Avoid contact with incompatible materials.</li> <li>When handling DO NOT eat, drink or smoke.</li> <li>Avoid physical damage to containers.</li> <li>Always wash hands with soap and water after handling.</li> <li>Work clothes should be laundered separately.</li> </ul>
Fire and explosion protection	See section 5
Other information	<ul> <li>Store cases in a well ventilated magazine licensed for the appropriate Class, Division and Compatibility Group.</li> <li>Rotate stock to prevent ageing. Use on FIFO (first in-first out) basis.</li> <li>Observe manufacturer's storage and handling recommendations contained within this SDS.</li> <li>Store in a cool place in original containers.</li> <li>Keep containers securely sealed.</li> <li>No smoking, naked lights, heat or ignition sources.</li> <li>Store in an isolated area away from other materials.</li> <li>Keep storage area free of debris, waste and combustibles.</li> <li>Protect containers against physical damage.</li> <li>Check regularly for spills and leaks</li> <li>NOTE: If explosives need to be destroyed contact the Competent Authority.</li> <li>Store away from incompatible materials.</li> </ul>

#### 7.2. Conditions for safe storage, including any incompatibilities

Suitable container	<ul> <li>All packaging for Class 1 Goods shall be in accordance with the requirements of the relevant Code for the transport of Dangerous Goods.</li> <li>Class 1 is unique in that the type of packaging used frequently has a very decisive effect on the hazard and therefore on the assignment to a particular division</li> </ul>
Storage incompatibility	<ul> <li>Avoid contact with other explosives, pyrotechnics, solvents, adhesives, paints, cleaners and unauthorized metals, plastics, packing equipment and materials.</li> <li>Avoid contamination with acids, alkalis, reducing agents, amines and phosphorus.</li> <li>Explosion hazard may follow contact with incompatible materials</li> </ul>

# 7.3. Specific end use(s)

See section 1.2

#### SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1. Control parameters

DERIVED NO EFFECT LEVEL (DNEL)

Not Available

#### PREDICTED NO EFFECT LEVEL (PNEC)

Not Available

# OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
UK Workplace Exposure Limits (WELs)	barium nitrate	Barium compounds, soluble (as Ba)	0.5 mg/m3	Not Available	Not Available	Not Available
European Union (EU) Commission Directive 2006/15/EC establishing a second list of indicative occupational exposure limit values (IOELVs)	barium nitrate	Barium (soluble compounds as Ba)	0,5 mg/m3	Not Available	Not Available	Not Available
EU Consolidated List of Indicative Occupational Exposure Limit Values (IOELVs)	barium nitrate	Barium (soluble compounds as Ba)	0.5 mg/m3	Not Available	Not Available	Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1		TEEL-2	TEEL-3
potassium chlorate	Potassium chlorate	5.6 mg/m3		62 mg/m3	370 mg/m3
potassium nitrate	Potassium nitrate	9 mg/m3		100 mg/m3	600 mg/m3
barium nitrate	Barium nitrate	2.9 mg/m3		350 mg/m3	2,100 mg/m3
Ingredient	Original IDLH		Revi	ised IDLH	
potassium chlorate	Not Available		Not Available		
potassium nitrate	Not Available		Not Available		
barium nitrate	50 mg/m3		Not A	Available	
	1				

#### MATERIAL DATA

#### 8.2. Exposure controls

8.2.1. Appropriate engineering

Engineering controls for explosive articles are designed to reduce or eliminate fragmentation and/or blast effects either by suppression of the source of

controls	detonation or by protection at the exposed location, or both. Barricades, shields, contained detonation chambers, and "zero quantity-distance (Q-D)" magazines are examples of engineering controls. Engineering controls are designed and tested in a rigorous fashion. The construction of the engineering control must be carefully duplicated in field applications to assure it will function properly. It is thus imperative that engineering controls be built exactly in accordance with the design package, and that they be used only for the articles (e.g.munitions) for which they are authorised.
8.2.2. Personal protection	
Eye and face protection	<ul> <li>Safety glasses with side shields</li> <li>Chemical goggles</li> </ul>
Skin protection	See Hand protection below
Hands/feet protection	<ul> <li>Wear chemical protective gloves, e.g. PVC.</li> <li>Wear safety footwear or safety gumboots, e.g. Rubber</li> </ul>
Body protection	See Other protection below
Other protection	<ul> <li>Fire resistant/ heat resistant gloves where practical, otherwise</li> <li>Heavy-duty chemically resistant gloves capable of providing short-term protection against spontaneous ignition.</li> <li>Safety footwear</li> <li>Hard hat</li> <li>[Ear Protection.</li> </ul>
Thermal hazards	Not Available

#### **Respiratory protection**

Respiratory protection not normally required due to the physical form of the product.

#### 8.2.3. Environmental exposure controls

See section 12

# SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Appearance	Orange/yellow outer metal casing pressed with black/grey polytechnical ingredients.		
Physical state	Manufactured	Relative density (Water = 1)	Not Applicable
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Applicable	Decomposition temperature	>160
Melting point / freezing point (°C)	Not Applicable	Viscosity (cSt)	Not Applicable
Initial boiling point and boiling range (°C)	Not Applicable	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	160	Taste	Not Available
Evaporation rate	Not Applicable	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Applicable
Vapour pressure (kPa)	Not Applicable	Gas group	Not Available
Solubility in water (g/L)	Immiscible	pH as a solution (1%)	Not Applicable
Vapour density (Air = 1)	Not Applicable	VOC g/L	Not Applicable

#### 9.2. Other information

Not Available

#### SECTION 10 STABILITY AND REACTIVITY

10.1.Reactivity	See section 7.2
10.2. Chemical stability	<ul> <li>Presence of shock and friction</li> <li>Presence of heat source and ignition source</li> <li>Product is considered stable under normal handling conditions.</li> <li>Stable under normal storage conditions.</li> <li>Hazardous polymerization will not occur.</li> <li>Avoid contact with other chemicals.</li> </ul>
10.3. Possibility of hazardous reactions	See section 7.2
10.4. Conditions to avoid	See section 7.2

 10.5. Incompatible materials

 10.6. Hazardous decomposition

 products

See section 7.2 See section 5.3

SECTION 11 TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

Inhaled	Not normally a hazard due to physical form of product. Inhalation of vapour is more likely at higher than normal temperatures. The vapour is discomforting		
Ingestion	Not normally a hazard due to physical form of product. Considered an unlikely route of entry in commercial/industrial environments		
Skin Contact	Not normally a hazard due to physical form of product. The vapour is discomforting		
Eye	Not normally a hazard due to physical form of product. The vapour is discomforting		
Chronic	► Generally not applicable.		
	ΤΟΧΙCΙΤΥ	IRRITATION	
LIGHT-SMOKE SIGNAL	Not Available	Not Available	
	TOXICITY	IRRITATION	
potassium chlorate	dermal (rat) LD50: >2000 mg/kg <sup>[1]</sup>	Not Available	
	Oral (rat) LD50: 1870 mg/kg <sup>[2]</sup>		
	TOXICITY	IRRITATION	
potassium nitrate	dermal (rat) LD50: >5000 mg/kg <sup>[1]</sup>	Not Available	
	Oral (rat) LD50: >2000 mg/kg <sup>[1]</sup>		
	TOXICITY	IRRITATION	
barium nitrate	Oral (rat) LD50: 355 mg/kg <sup>[2]</sup>	Eye (rabbit):100 mg/24h - moderate	
		Skin (rabbit): 500 mg/24h - mild	
Legend:	1. Value obtained from Europe ECHA Registered Substances - Acute toxicity data extracted from RTECS - Register of Toxic Effect of chemical Substances		

BARIUM NITRATE	The material may produce moderate eye irritation leading to inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis. The material may cause skin irritation after prolonged or repeated exposure and may produce a contact dermatitis (nonallergic). This form of dermatitis is often characterised by skin redness (erythema) and swelling epidermis. Histologically there may be intercellular oedema of the spongy layer (spongiosis) and intracellular oedema of the epidermis.		
Acute Toxicity	$\odot$	Carcinogenicity	0
Skin Irritation/Corrosion	$\odot$	Reproductivity	0
Serious Eye Damage/Irritation	$\odot$	STOT - Single Exposure	0
Respiratory or Skin sensitisation	0	STOT - Repeated Exposure	0
Mutagenicity	0	Aspiration Hazard	0
	•	Legend: 🗙 – D	Data available but does not fill the criteria for classification

✓ – Data available to make classification

S − Data Not Available to make classification

# SECTION 12 ECOLOGICAL INFORMATION

LIGHT-SMOKE SIGNAL	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	Not Available	Not Available	Not Available	Not Available	Not Available
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	=13000mg/L	1
potassium chlorate	EC50	72	Algae or other aquatic plants	1.9mg/L	4
	NOEC	72	Algae or other aquatic plants	<0.5mg/L	4
potassium nitrate	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURC
	LC50	96	Fish	22.5mg/L	4

barium nitrate	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE SOURCI
	LC50	96	Fish	>3.5mg/L 2
	EC50	72	Algae or other aquatic plants	>1.92mg/L 2
	NOEC	72	Algae or other aquatic plants	>=1.92mg/L 2

(Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

#### 12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
potassium chlorate	HIGH	HIGH
potassium nitrate	LOW	LOW

#### 12.3. Bioaccumulative potential

Ingredient	Bioaccumulation	
potassium chlorate	LOW (LogKOW = -4.6296)	
potassium nitrate	LOW (LogKOW = 0.209)	

#### 12.4. Mobility in soil

Ingredient	Mobility
potassium chlorate	LOW (KOC = 35.04)
potassium nitrate	LOW (KOC = 14.3)

#### 12.5.Results of PBT and vPvB assessment

	Р	В	т
Relevant available data	Not Available	Not Available	Not Available
PBT Criteria fulfilled?	Not Available	Not Available	Not Available

#### 12.6. Other adverse effects

No data available

#### SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods	

Product / Packaging disposal	<ul> <li>Explosives must not be thrown away, buried, discarded or placed with garbage.</li> <li>Explosives which are surplus, deteriorated or considered unsafe for transport, storage or use shall be destroyed and the statutory authorities shall be notified.</li> <li>This material may be disposed of by burning or detonation but the operation may only be performed under the control of a person trained in the safe destruction of explosives.</li> <li>Refer to local Waste Disposal Authority and supplier for suitable disposal procedure.</li> </ul>
Waste treatment options	Not Available
Sewage disposal options	Not Available

#### **SECTION 14 TRANSPORT INFORMATION**

#### Labels Required

Marine Pollutant	NO
HAZCHEM	1YE
Land transport (ADR)	
14.1.UN number	0507
14.2.UN proper shipping name	SIGNALS, SMOKE
14.3. Transport hazard class(es)	Class 1.4S Subrisk Not Applicable
14.4.Packing group	Not Applicable
14.5.Environmental hazard	Not Applicable

	Hazard identification (Kemler)	Not Applicable
14.6. Special precautions for user	Classification code	1.4S
	Hazard Label	1.4
	Special provisions	Not Applicable
	Limited quantity	0

1

# Air transport (ICAO-IATA / DGR)

14.1. UN number	0507				
14.2. UN proper shipping name	Signals, smoke				
14.3. Transport hazard class(es)	ICAO/IATA Class1.4SICAO / IATA SubriskNot ApplicableERG Code3L				
14.4. Packing group	Not Applicable				
14.5. Environmental hazard	Not Applicable	Not Applicable			
	Special provisions		Not Applicable		
	Cargo Only Packing Instructions		135		
	Cargo Only Maximum Qty / Pack		100 kg		
14.6. Special precautions for user	Passenger and Cargo Packing Instructions		135		
	Passenger and Cargo Maximum Qty / Pack		25 kg		
	Passenger and Cargo Limited Quantity Packing Instructions		Forbidden		
	Passenger and Cargo Limited Maximum Qty / Pack		Forbidden		

#### Sea transport (IMDG-Code / GGVSee)

14.1. UN number	0507	07		
14.2. UN proper shipping name	SIGNALS, SMOKE			
14.3. Transport hazard class(es)	l —————	4S ot Applicable		
14.4. Packing group	Not Applicable			
14.5. Environmental hazard	Not Applicable	Not Applicable		
14.6. Special precautions for user	EMS Number Special provisions Limited Quantities	F-B , S-X Not Applicable 0		

#### Inland waterways transport (ADN)

14.1. UN number	0507		
14.2. UN proper shipping name	SIGNALS, SMOKE		
14.3. Transport hazard class(es)	1.4S Not Applicable		
14.4. Packing group	Not Applicable		
14.5. Environmental hazard	Not Applicable		
14.6. Special precautions for user	Classification code1.4SSpecial provisionsNot ApplicableLimited quantity0Equipment requiredPPFire cones number0		

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

# SECTION 15 REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

# POTASSIUM CHLORATE(3811-04-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

European Customs Inventory of Chemical Substances ECICS (English) European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)

# European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

POTASSIUM NITRATE(7757-79-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS

European Customs Inventory of Chemical Substances ECICS (English)	European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)
BARIUM NITRATE(10022-31-8) IS FOUND ON THE FOLLOWING REGULATORY LISTS	
EU Consolidated List of Indicative Occupational Exposure Limit Values (IOELVs) European Customs Inventory of Chemical Substances ECICS (English)	European Union (EU) Commission Directive 2006/15/EC establishing a second list of indicative occupational exposure limit values (IOELVs) (Spanish)
European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)	European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI
	UK Workplace Exposure Limits (WELs)

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : 98/24/EC, 92/85/EC, 94/33/EC, 91/689/EEC, 1999/13/EC, Commission Regulation (EU) 2015/830, Regulation (EC) No 1272/2008 and their amendments

#### 15.2. Chemical safety assessment

For further information please look at the Chemical Safety Assessment and Exposure Scenarios prepared by your Supply Chain if available.

#### ECHA SUMMARY

Ingredient	CAS number Index No		ECHA Dossier	
potassium chlorate	3811-04-9 017-004-00-3		01-2119494917-18-XXXX	
Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)		Pictograms Signal Word Code(s) Hazard Statement Code(s	
1	Ox. Sol. 1, Acute Tox. 4, Aquatic Chronic 2		GHS09, GHS03, GHS07, Dgr	H271, H302, H332, H411
2	Ox. Sol. 1, Acute Tox. 4, Aquatic Chronic 2, Ox. Sol. 2, STOT SE 2, Aquatic Chronic 3		GHS09, GHS03, GHS07, Dgr	H271, H302, H332, H411, H371
	Chronic 3			H

Harmonisation Code 1 = The most prevalent classification. Harmonisation Code 2 = The most severe classification.

Ingredient	CAS number	Index No	ECHA Dossier		
potassium nitrate	7757-79-1	7757-79-1 Not Available 01-2119488224-35-XXXX, 0		01-2120104950-66-XXXX	
Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)		Pictograms Signal Word Code(s)	Hazard Statement Code(s)	
1	Ox. Sol. 2, Skin Irrit. 2, Eye Irr	Ox. Sol. 2, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3			H272, H315, H319, H335
2	Ox. Sol. 3, Ox. Sol. 2, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, Ox. Sol. 1, Aquatic Chronic 3, Ox. Liq. 3, Acute Tox. 4, Repr. 2, STOT SE 2, STOT RE 2, Ox. Liq. 2, Ox. Liq. 1			GHS03, Dgr, GHS08	H315, H319, H335, H271, H412, H302, H361, H371, H373

Harmonisation Code 1 = The most prevalent classification. Harmonisation Code 2 = The most severe classification.

Ingredient	CAS number	Index No		ECHA Dossier	
barium nitrate	10022-31-8	056-002-00-7		01-2119986880-22-XXXX	
Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)		Pictograms Signal Word Code(s)		Hazard Statement Code(s)
1	Ox. Sol. 2, Acute Tox. 4		GHS03, GHS07, Dgr		H272, H302, H332
2	Ox. Sol. 2, Acute Tox. 3, Eye Irrit. 2, Acute Tox. 4, Ox. Liq. 2		GHS03, GHS0	06, Dgr	H272, H301, H319, H332, H312
Hammaniastian Casta 4 The most	nroundant algoritization Harmonization Code C				·

Harmonisation Code 1 = The most prevalent classification. Harmonisation Code 2 = The most severe classification.

National Inventory	Status	
Australia - AICS	Υ	
Canada - DSL	Y	
Canada - NDSL	N (barium nitrate; potassium chlorate; potassium nitrate)	
China - IECSC	Y	
Europe - EINEC / ELINCS / NLP	Υ	
Japan - ENCS	Y	
Korea - KECI	Y	
New Zealand - NZIoC	Υ	
Philippines - PICCS	Y	
USA - TSCA	Υ	
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)	

# **SECTION 16 OTHER INFORMATION**

#### Full text Risk and Hazard codes

H271	May cause fire or explosion; strong oxidiser.	
H272	May intensify fire; oxidiser.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	

H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361	Suspected of damaging fertility or the unborn child.
H371	May cause damage to organs.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### Other information

#### Ingredients with multiple cas numbers

Name	CAS No
barium nitrate	10022-31-8, 34053-87-7

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chernwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices

#### Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index