survitec

# THROW OVER SELF-RIGHTING LIFERAFT

Even in tough marine environments



**Protect your passengers and crew with our self-righting throw over liferafts.** Designed to meet the requirements for your roll-on / roll-off passenger ships, our liferafts will self-right in less than one minute, even in the case of upside-down inflation.

## BENEFITS:

- ✓ Suitable for six up to 150 persons, to suit your vessel needs
- ✓ Automatic self-righting, even in the toughest of marine environments
- ✓ Fully enclosed double-skinned, high visibility canopy complete with retro-reflective tape for improved visibility
- ✓ Easy access non-inflatable boarding ramp
- ✓ Manufactured using corrosion and abrasion-resistant polyurethane-coated fabric for longevity
- ✓ High volume water pockets to ensure maximum stability when inflating
- ✓ Available in different container options to suit your needs



**"A first choice for many of our customers"**

TRUSTED TO
PROTECT LIVES

# SELF-RIGHTING THROW OVER LIFERAFT

## TECHNICAL DATA

| LIFERAFT | |
|---|---|
| **Sizes Available** | 6, 8, 10, 12, 16, 20, 25 up to 150 person |
| **Container Options** | Round Container, MK14 Container, Flat Pack Container, 7F Container |
| **Emergency Packs** | Yes |
| **Self Righting** | Yes |
| **Deployment** | Manual Throw Overboard |
| **MES Compatible** | Yes, 100 and 150 person |



# SELF-RIGHTING THROW OVER LIFERAFT

Our liferafts are available in a range of trusted brands:

survitec SURVIVAL TECHNOLOGY · RFD · DSB · SURVITEC ZODIAC COMMERCIAL LIFERAFTS

## APPROVALS & ACCREDITATIONS

✓ SOLAS, MED and other national maritime flags

## ROUND CONTAINER - SOLAS A PACK

| Capacity | Length (mm) | Width (mm) | Height (mm) | Net Weight (KG) |
|---|---|---|---|---|
| 6 | 1160 | 560 | 513 | 72 |
| 8 | 1160 | 560 | 513 | 88 |
| 10 | 1275 | 610 | 590 | 98 |
| 12 | 1275 | 610 | 590 | 114 |
| 25 | 1450 | 800 | 740 | 207 |
| 37 | 1500 | 950 | 945 | 312 |
| 50 | 1560 | 952 | 960 | 370 |
| 100 | 2100 | 1050 | 1033 | 560 |

## ROUND CONTAINER - SOLAS B PACK

| Capacity | Length (mm) | Width (mm) | Height (mm) | Net Weight (KG) |
|---|---|---|---|---|
| 6 | 1160 | 560 | 513 | 58 |
| 8 | 1160 | 560 | 513 | 69 |
| 10 | 1160 | 560 | 513 | 73 |
| 12 | 1160 | 560 | 513 | 82 |
| 25 | 1530 | 680 | 620 | 150 |
| 37 | 1450 | 680 | 740 | 209 |
| 50 | 1560 | 852 | 835 | 235 |
| 100 | 1950 | 970 | 925 | 430 |
| 150 | 2100 | 1050 | 1033 | 580 |

## LOW PROFILE CONTAINER - SOLAS A PACK

| Capacity | Length (mm) | Width (mm) | Height (mm) | Net Weight (KG) |
|---|---|---|---|---|
| 6 | 924 | 574 | 359 | 77 |

## LOW PROFILE CONTAINER - SOLAS B PACK

| Capacity | Length (mm) | Width (mm) | Height (mm) | Net Weight (KG) |
|---|---|---|---|---|
| 6 | 890 | 520 | 315 | 56 |

## 7F CONTAINER - SOLAS A PACK

| Capacity | Length (mm) | Width (mm) | Height (mm) | Net Weight (KG) |
|---|---|---|---|---|
| 35 | 1670 | 880 | 870 | 335 |

survitec SURVIVAL TECHNOLOGY

**GET IN TOUCH**
**Email** info@survitecgroup.com
**www.survitecgroup.com**

© Copyright Survitec Group 2024